



USB2.0 Optical CMOS Camera Module

USB 2.0 11Mp with telephoto zoom

DJU-110C

Product Specification

Release version:1.0

USB 2.0 Interface Camera Module
11 Mega pixel with telephoto zoom

Model Name: **DJU-110C**

Photos



Features

| SPECIFICATION | |
|---------------------|--|
| Image Format | 1/2.3" CMOS IMX577 |
| Focal Length | 10-50 mm |
| Resolution | 3840X2880 (11MP) |
| Output Formats | MJPEG, YUV2 |
| FOV | 64°-15° |
| Max.Aperture Ration | F2.8~C |
| Focus type | Manual |
| F.NO | F2.7 |
| Varifocal Lens | Φ37*61mm |
| Dimensions | |
| Net Weight | 100g |
| USB Cable Length | 2 Meters |
| Mount Type | C-Mount(Lens is replaceable) |
| Audio Input | Support |
| Supported OS | Windows, Android, Linux, Wince, Mac OS |
| Workable software | Labview / Adobe Flash Media Live Encoder / OBS Studio /VLC / Potplayer / Wirecast/ vMix / QuickTime etc. |
| Holder Size | M35.5, P=0.5mm |
| Module Size | 120*46.5*50mm |

| WORKING CONDITION | |
|-----------------------|------------|
| Operation Temperature | -20°~ +80° |
| Storage Temperature | -30°~ +90° |

| FORMAT | RESOLUTION | FRAME RATE |
|--------|-------------------|------------|
| | | USB2.0 |
| MJPEG | 3840X2880 (11MP) | 20fps |
| | 3840x 2160 (4K) | 30fps |
| | 2952X1944(5MP) | 30fps |
| | 2048X1536 | 30fps |
| | 1920x1080 (1080P) | 30fps |
| | 1280X720 (720P) | 30fps |
| | 640X480(VGA) | 30fps |
| YUY2 | 3840X2880 (11MP) | 1fps |
| | 3840x 2160 (4K) | 2fps |
| | 2952X1944(5MP) | 2fps |
| | 2048X1536 | 3fps |
| | 1920x1080 (1080P) | 5fps |
| | 1280X720 (720P) | 10fps |
| | 640X480(VGA) | 30fps |

PRODUCT DIMENSION

